

Issue Date: 10/27/2015 Revision Date: 06/01/2015

## SAFETY DATA SHEET

## 1. Identification

Product identifier: ABRA-CADABRA SPOT & STAIN REMOVER, Aerosol

Other means of identification

**SDS number:** 106424

Recommended restrictions

**Product Use:** Spot & Stain Remover **Restrictions on use:** Not known.

#### Manufacturer/Importer/Distributor Information

#### **Distributor:**

Company Name: PIONEER BRITE, INC. Address: 1381 HEISTAN PLACE

MEMPHIS, TN 38104

Telephone: 1-901-725-7695 24hr/7day: 1-800-535-5053

Emergency telephone number: 1-800-535-5053

## 2. Hazard(s) identification

## **Hazard Classification**

#### **Physical Hazards**

Flammable aerosol Category 1

**Health Hazards** 

Serious Eye Damage/Eye Irritation Category 2A
Skin sensitizer Category 1
Specific Target Organ Toxicity - Category 2

Repeated Exposure

## **Label Elements**

#### **Hazard Symbol:**



Signal Word: Danger

SDS US - 106424 1/19



**Hazard Statement:** Extremely flammable aerosol.

Causes serious eye irritation.

Causes skin irritation.

Precautionary Statements

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the

workplace. Do not breathe dust/fume/gas/mist/vapors/spray.

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water/... If skin irritation or rash occurs: Get medical advice/attention. Get medical advice/attention if you feel unwell. Specific treatment (see on this

label). Wash contaminated clothing before reuse.

**Storage:** Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
2-butoxyethanol,ethylene glycol monobutyl, butyl cellosolve	111-76-2	2.5 - 10%
Ethanol, 2-(2-butoxyethoxy)-	112-34-5	2.5 - 10%
Propane	74-98-6	1 - 2.5%
Butane	106-97-8	2.5 - 10%



#### 4. First-aid measures

**Ingestion:** Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

**Inhalation:** Move to fresh air.

Skin Contact: If skin irritation occurs: Get medical advice/attention. Destroy or thoroughly

clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an

allergic skin reaction develops, get medical attention.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention.

#### Most important symptoms/effects, acute and delayed

Symptoms:

EYE- Causes serious eye irritation. SKIN-Causes skin irritation.

**Hazards:** No data available.

## Indication of immediate medical attention and special treatment needed

**Treatment:** Treat symptomatically.

#### 5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

#### Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

#### Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

## 6. Accidental release measures

SDS US - 106424 3/19



Personal precautions, protective equipment and emergency procedures:

Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Methods and material for containment and cleaning up:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

**Notification Procedures:** 

Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

**Environmental Precautions:** 

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

## 7. Handling and storage

Precautions for safe handling:

Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage, including any incompatibilities:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 1


#### 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Туре	<b>Exposure Limit Values</b>	Source
Ethanol	TWA PEL	1,000 ppm 1,900 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	REL	1,000 ppm 1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm 1,900 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm 1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	1,000 ppm 1,900 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (2009)
	AN ESL	1,880 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL	10,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	1,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL	18,800 µg/m3	, ·
Ethanol, 2-(2-butoxyethoxy)-	ST ESL	670 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11


SDS US - 106424 4/19





				2016)
	ST ESL		100 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		10 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		67 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Ethanol, 2-(2-butoxyethoxy) Inhalable fraction and vapor.	TWA	10 ppm		US. ACGIH Threshold Limit Values (03 2013)
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA PEL	1,000 ppm	1,800 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	TWA	1,000 ppm		US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA		1,900 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)  US. ACGIH Threshold Limit Values (03 2018)
		1,000 ppm	1 000/2	` ,
	TWA AN ESL	800 ppm	1,900 mg/m3 3,000 ppb	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)  US. Texas. Effects Screening Levels (Texas
	AN ESL		3,000 ррв	Commission on Environmental Quality) (11 2016)
	AN ESL		7,100 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	TWA PEL	800 ppm	1,900 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	ST ESL		66,000 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL		28,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
2-Propanol, 2-methyl-	TWA	100 ppm	300 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	STEL	150 ppm	450 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	ST ESL		200 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		20 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		62 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL		620 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	STEL	150 ppm	450 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	100 ppm	300 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	PEL	100 ppm	300 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	100 ppm		US. ACGIH Threshold Limit Values (2008)
	STEL	150 ppm	450 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	150 ppm	450 mg/m3	US. California Code of Regulations, Title 8,

SDS\_US -106424 5/19





				Section 5155. Airborne Contaminants (09
				2006)
	TWA PEL	100 ppm	300 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	REL	100 ppm	300 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
2,6-Octadienal, 3,7-dimethyl- - Inhalable fraction and vapor.	TWA	5 ppm		US. ACGIH Threshold Limit Values (01 2010)
2,6-Octadienal, 3,7-dimethyl-	ST ESL		50 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL		310 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		31 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		5 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Sodium hydroxide (Na(OH))	Ceiling		2 mg/m3	US. ACGIH Threshold Limit Values (2008)
Costani nyarozido (na(OTI))	Ceiling		2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	Ceil_Time		2 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL		2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	Ceiling		2 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)  US. California Code of Regulations, Title 8,
	Ceiling		2 mg/m3	Section 5155. Airborne Contaminants (09 2006)
Sodium hydroxide (Na(OH)) - Particulate.	AN ESL		2 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL		20 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Ethanol, 2-butoxy-	TWA	20 ppm		US. ACGIH Threshold Limit Values (2008)
	TWA	25 ppm	120 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	REL	5 ppm	24 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	50 ppm	240 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA PEL	20 ppm	97 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	TWA	25 ppm	120 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	AN ESL		760 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		3,700 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL		2,900 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL		600 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Ammonium hydroxide ((NH4)(OH))	AN ESL		92 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL		180 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	STEL	35 ppm		US. ACGIH Threshold Limit Values (2008)
	TWA	25 ppm		US. ACGIH Threshold Limit Values (2008)

SDS\_US - 106424 6/19



TWA PEL	25 ppm	18 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
STEL	35 ppm	27 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
STEL	35 ppm	27 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
STEL	35 ppm	27 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
REL	25 ppm	18 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
PEL	50 ppm	35 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)

**Biological Limit Values** 

Chemical Identity	Exposure Limit Values	Source
Ethanol, 2-butoxy- (Butoxyacetic acid (BAA), with hydrolysis: Sampling	200 mg/g (Creatinine in urine)	ACGIH BEL (03 2013)
time: End of shift.)		

Appropriate Engineering Controls

No data available.

## Individual protection measures, such as personal protective equipment

General information: Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to

maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If exposure limits have not been established, maintain airborne levels

to an acceptable level.

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**Skin Protection** 

Hand Protection: No data available.

Other: Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

**Hygiene measures:** Avoid contact with eyes. Observe good industrial hygiene practices. When

using do not smoke. Contaminated work clothing should not be allowed out

of the workplace. Avoid contact with skin.

## 9. Physical and chemical properties

#### **Appearance**

Physical state: liquid

Form: Spray Aerosol

Color: Clear Odor: Butyl

SDS US -106424 7/19



Odor threshold:

pH:

11-12.5 Estimated

Melting point/freezing point:

No data available.

Flash Point:

- No data available.

Evaporation rate:

No data available.

No data available.

No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

Nodataavailable.

Nodataavailable.

Nodataavailable.

Nodataavailable.

No data available.

Vapor density:No data available.Density:No data available.Relative density:No data available.

Solubility(ies)

Solubility in water:

Solubility (other):

Partition coefficient (n-octanol/water):

No data available.

No data available.

No data available.

2300C Estimated

Auto-ignition temperature:No data available.Decomposition temperature:No data available.

Viscosity:

## 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:** No data available.

**Hazardous Decomposition** 

**Products:** 

No data available.

## 11. Toxicological information

## Information on likely routes of exposure

**Inhalation:** No data available.

**Skin Contact:** No data available.

Eye contact: No data available.

SDS US - 106424 8/19



Ingestion: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

**Skin Contact:** No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix: 16,286.29 mg/kg

**Dermal** 

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Ethanol LD 50 (Rabbit): 17,100 mg/kg

Ethanol, 2-(2-LD 50 (Rabbit): 2,764 mg/kg

butoxyethoxy)-

Glycine, N,N'-1,2-LD 50: > 2,000 mg/kg

ethanediylbis[N-(carboxymethyl)-, sodium

salt (1:4)

2-Propanol, 2-methyl-LD 50: > 2,000 mg/kg

2,6-Octadienal, 3,7-

dimethyl-

LD 50 (Rat): > 2,000 mg/kg

Ethanol, 2-butoxy-LD 50 (Rabbit): 667 mg/kg

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Ethanol LC 50 (Rat): 124.7 mg/l

Ethanol, 2-(2-LC 50 (Various): > 20 mg/l

butoxyethoxy)-

Propane LC 50 (Mouse): 1,237 mg/l

Butane LC 50 (Mouse): 1,237 mg/l

9/19 SDS US - 106424



Glycine, N.N'-1.2-

ethanedivlbis[N-

(carboxymethyl)-, sodium

salt (1:4)

2-Propanol, 2-methyl-LC 50: < 20 mg/l

Quaternary ammonium compounds, C12-14alkyl[(ethylphenyl)methyl] dimethyl, chlorides

LC 50: > 5 mg/lLC 50: > 20 mg/l

LOAEL (Rat): 30 mg/m3

Ethanol, 2-butoxy-LC 50: < 5 mg/l

LC 50: < 20 mg/l

Repeated dose toxicity

Product: No data available.

Specified substance(s):

Ethanol NOAEL (Rat(Male), Oral, 7 - 14 Weeks): 10 %(m) Oral Experimental result,

Kev study

Ethanol, 2-(2-NOAEL (Rat(Female, Male), Oral, 90 d): 250 mg/kg Oral Experimental

result. Kev study butoxyethoxy)-

NOAEL (Rat(Female, Male), Dermal, 13 Weeks): > 2,000 mg/kg Dermal

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, 90 - 120 d): 14 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Propane

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

**Butane** NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

NOAEL (Rat(Female, Male), Oral, 103 Weeks): >= 500 mg/kg Oral Read-

across from supporting substance (structural analogue or surrogate), Key

Experimental result, Key study

Glycine, N,N'-1,2ethanediylbis[N-

(carboxymethyl)-, sodium

salt (1:4)

dimethyl-

2,6-Octadienal, 3,7-

LOAEL (Rat(Male), Inhalation, 1 - 5 d): 30 mg/m3 Inhalation Read-across from supporting substance (structural analogue or surrogate), Key study

LOAEL (Rat(Female, Male), Oral, 104 - 105 Weeks): 210 mg/kg Oral

Experimental result, Key study

LOAEL (Rat(Female), Oral, 14 Weeks): 335 mg/kg Oral Experimental result,

NOAEL (Rabbit(Female, Male), Dermal, 90 d): > 150 mg/kg Dermal Ethanol, 2-butoxy-

Experimental result, Key study

NOAEL (Rat(Female), Oral, 90 d): < 82 mg/kg Oral Experimental result, Key

study

NOAEL (Rat(Female), Inhalation, 2 yr): < 31 ppm(m) Inhalation

Experimental result, Key study

Skin Corrosion/Irritation

**Product:** No data available.

Specified substance(s):

in vivo (Rabbit): Not irritant Experimental result, Key study Ethanol

10/19 SDS US - 106424



Ethanol, 2-(2- in vivo (Rabbit): Not irritant Experimental result, Supporting study

butoxyethoxy)-

Glycine, N,N'-1,2- in vivo (Rabbit): Not irritant Experimental result, Key study

ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4)

Ethanol, 2-butoxy- in vivo (Rabbit): Irritating Experimental result, Key study

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Specified substance(s):

Ethanol Rabbit, 1 - 24 hrs: Not irritating

Ethanol, 2-(2- Rabbit, 24 - 72 hrs: Highly irritating

butoxyethoxy)-

Sodium hydroxide Corrosive

(Na(OH)) Rabbit, 2 d: 10% Sodium Hydroxide- Category 1; 0.5% Sodium Hydroxide-

Slightly irritating to eyes

Ethanol, 2-butoxy- Rabbit, 24 - 72 hrs: Irritating

**Respiratory or Skin Sensitization** 

**Product:** No data available.

Specified substance(s):

Ethanol Skin sensitization:, in vivo (Guinea pig): Non sensitising Ethanol, 2-(2-Skin sensitization:, in vivo (Guinea pig): Non sensitising

butoxyethoxy)-

Glycine, N,N'-1,2- Skin sensitization:, in vivo (Guinea pig): Non sensitising

ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4)

Ethanol, 2-butoxy- Skin sensitization:, in vivo (Guinea pig): Non sensitising

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

SDS US - 106424 11/19



In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

**Specific Target Organ Toxicity - Single Exposure Product:** No data available.

Specified substance(s):

2-Propanol, 2-methyl-Inhalation - dust and mist: Respiratory tract irritation. - Category 3 with

respiratory tract irritation.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

**Aspiration Hazard** 

Product: No data available.

Other effects: No data available.

#### 12. Ecological information

## **Ecotoxicity:**

## Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

Ethanol LC 50 (Pimephales promelas, 96 h): 15.3 g/l Experimental result, Key study

Ethanol, 2-(2-LC 50 (Lepomis macrochirus, 96 h): 1,300 mg/l Experimental result, Key

butoxyethoxy)study

LC 50 (Pimephales promelas, 96 h): 2,400 mg/l Experimental result,

Supporting study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study **Butane** 

Glycine, N,N'-1,2ethanedivlbis[N-

LC 50 (Lepomis macrochirus, 96 h): 121 mg/l Experimental result, Key study

NOAEL (Lepomis macrochirus, 96 h): 88 mg/l Experimental result, Key

(carboxymethyl)-, sodium

salt (1:4)

study

2-Propanol, 2-methyl-LC 50 (Pimephales promelas, 96 h): > 961 mg/l Experimental result, Key

study

NOAEL (Pimephales promelas, 96 h): 961 mg/l Experimental result, Key

study

Quaternary ammonium compounds, C12-14-

EC 50 (96 h): < 10 mg/l

SDS US - 106424 12/19



alkyl[(ethylphenyl)methyl] dimethyl, chlorides

2,6-Octadienal, 3,7-dimethyl-

LC 50 (Leuciscus idus, 96 h): 6.78 mg/l Experimental result, Key study

Sodium hydroxide (Na(OH))

LC 50 (Western mosquitofish (Gambusia affinis), 96 h): 125 mg/l Mortality LC 50 (Gambusia affinis, 96 h): < 180 mg/l Experimental result, Supporting

study

Ethanol, 2-butoxy-

LC 50 (Oncorhynchus mykiss, 96 h): 1,474 mg/l Experimental result, Key

study

Ammonium hydroxide

((NH4)(OH))

LC 50 (Western mosquitofish (Gambusia affinis), 96 h): 15 mg/l Mortality LC 50 (Fathead minnow (Pimephales promelas), 48 h): 7 mg/l Mortality

Aquatic Invertebrates Product:

No data available.

Specified substance(s):

Ethanol LC 50 (Ceriodaphnia dubia, 48 h): 5,012 mg/l Experimental result, Key study

Ethanol, 2-(2-butoxyethoxy)-

LC 50 (Daphnia magna, 48 h): +/- 1,743 mg/l QSAR QSAR, Supporting

study

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

Glycine, N,N'-1,2-ethanediylbis[N-

EC 50 (Daphnia magna, 24 h): 610 mg/l Experimental result, Key study

(carboxymethyl)-, sodium

salt (1:4)

2-Propanol, 2-methyl- NOAEL (Daphnia magna, 48 h): 180 mg/l Experimental result, Key study

EC 50 (Daphnia magna, 48 h): 933 mg/l Experimental result, Key study

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl] dimethyl, chlorides

EC 50: 0.015 mg/l

2,6-Octadienal, 3,7-

dimethyl-

EC 50 (Daphnia magna, 48 h): 6.8 mg/l Experimental result, Key study

Sodium hydroxide

(Na(OH))

EC 50 (Water flea (Ceriodaphnia dubia), 48 h): 34.59 - 47.13 mg/l

Intoxication

Ethanol, 2-butoxy- EC 50 (Daphnia magna, 48 h): 1,550 mg/l Experimental result, Key study

Ammonium hydroxide

((NH4)(OH))

LC 50 (Water flea (Ceriodaphnia dubia), 48 h): > 0 - 10 mg/l Mortality

## Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

Ethanol NOAEL (Oryzias latipes): 7,900 mg/l Read-across from supporting

substance (structural analogue or surrogate), Supporting study

SDS US - 106424 13/19



Glycine, N,N'-1,2ethanediylbis[N-(carboxymethyl)-, sodium NOAEL (Danio rerio): >= 25.7 mg/l Read-across from supporting substance

(structural analogue or surrogate), Key study

2-Propanol, 2-methyl-

salt (1:4)

NOAEL (Clarias gariepinus): 332 mg/l Experimental result, Key study

Quaternary ammonium compounds, C12-14alkyl[(ethylphenyl)methyl] dimethyl, chlorides

NOEC (28 d): 0.032 mg/l

Ethanol, 2-butoxy-

NOAEL (Danio rerio): > 100 mg/l Experimental result, Key study

**Aquatic Invertebrates** 

Product: No data available.

Specified substance(s):

. Ethanol LC 50 (Daphnia magna): 454 mg/l Experimental result, Key study

NOAEL (Daphnia magna): 9.6 mg/l Experimental result, Key study

Glycine, N,N'-1,2ethanediylbis[N-

NOAEL (Daphnia magna): 25 mg/l Read-across from supporting substance

(structural analogue or surrogate), Key study

(carboxymethyl)-, sodium salt (1:4)

Ethanol, 2-butoxy-

EC 50 (Daphnia magna): 297 mg/l Experimental result, Key study EC 10 (Daphnia magna): 134 mg/l Experimental result, Key study

**Toxicity to Aquatic Plants** 

Product:

No data available.

#### Persistence and Degradability

**Biodegradation** 

Product: No data available.

Specified substance(s):

Ethanol 95 % Detected in water. Experimental result, Key study

Ethanol, 2-(2butoxyethoxy)- 85 % (28 d) Detected in water. Experimental result, Key study

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study

50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Glycine, N,N'-1,2-

ethanediylbis[N-

(carboxymethyl)-, sodium

salt (1:4)

90 - 100 % (28 d) Detected in water. Read-across from supporting substance (structural analogue or surrogate), Weight of Evidence study

2-Propanol, 2-methyl-2.6 - 5.1 % (29 d) Detected in water. Experimental result, Key study

SDS US - 106424 14/19



2,6-Octadienal, 3,7-

dimethyl-

85 - 95 % (28 d) Detected in water. Experimental result, Key study

Ethanol. 2-butoxy-

90.4 % Detected in water. Experimental result, Key study

**BOD/COD Ratio** 

**Product:** No data available.

**Bioaccumulative potential** 

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Specified substance(s):

Ethanol Cyprinus carpio, Bioconcentration Factor (BCF): 4.5 Aquatic sediment Read-

across from supporting substance (structural analogue or surrogate),

Supporting study

Glycine, N,N'-1,2ethanediylbis[N-

(carboxymethyl)-, sodium

salt (1:4)

Lepomis macrochirus, Bioconcentration Factor (BCF): 1.8 Aquatic sediment

Experimental result, Key study

2,6-Octadienal, 3,7-

dimethyl-

Bioconcentration Factor (BCF): 89.72 Aquatic sediment Estimated by

calculation, Key study

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

**Mobility in soil:** No data available.

Known or predicted distribution to environmental compartments

Ethanol No data available. Ethanol, 2-(2- No data available.

butoxyethoxy)-

Propane No data available.
Butane No data available.
Glycine, N,N'-1,2- No data available.

ethanediylbis[N-

(carboxymethyl)-, sodium

salt (1:4)

2-Propanol, 2-methyl
Quaternary ammonium

No data available.

No data available.

compounds, C12-14-alkyl[(ethylphenyl)methyl]di

methyl, chlorides

2,6-Octadienal, 3,7- No data available.

dimethyl-

Sodium hydroxide (Na(OH)) No data available. Ethanol, 2-butoxy- No data available. Ammonium hydroxide No data available.

((NH4)(OH))

Other adverse effects: No data available.

## 13. Disposal considerations

SDS US - 106424 15/19



**Disposal instructions:** Wash before disposal. Dispose to controlled facilities.

**Contaminated Packaging:** No data available.

#### 14. Transport information

#### DOT

UN Number: LTD. QTY.

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class:

Label(s):

Packing Group:

Marine Pollutant: No

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

**IMDG** 

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2 Label(s): –

EmS No.:

Packing Group: -

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

**IATA** 

UN Number: UN 1950

Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): –

Packing Group: –

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

## 15. Regulatory information

**US Federal Regulations** 


TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

## CERCLA Hazardous Substance List (40 CFR 302.4):

SDS US - 106424 16/19





Chemical Identity	Reportable quantity
Ethanol	lbs. 100
Propane	lbs. 100
Butane	lbs. 100
2-Propanol, 2-methyl-	lbs. 100
Sodium hydroxide	lbs. 1000
(Na(OH))	
Ammonium hydroxide	lbs. 1000
((NH4)(OH))	

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

## **Hazard categories**

Fire Hazard

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard

Flammable aerosol

Serious Eye Damage/Eye Irritation

Skin sensitizer

Specific Target Organ Toxicity - Repeated Exposure

## SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

# SARA 304 Emergency Release Notification Chamical Identity Reportable quar

<u>Chemical I</u>	<u>dentity</u>	Reportable qua	antity
Ethanol	<del></del>	lbs. 100	_
Ethanol,	2-(2-		
butoxyetho	xy)-		
Propane		lbs. 100	
Butane		lbs. 100	
2-Propanol	, 2-methyl-	lbs. 100	
Sodium	hydroxide	lbs. 1000	
(Na(OH))			
Ethanol, 2-I	butoxy-		
Ammonium	hydroxide	lbs. 1000	
((NH4)(OH)	))		

# SARA 311/312 Hazardous Chemical Chemical Identity Threshold Planning Quantity

Chemical Identity	Threshold Planning Quantity
Ethanol	10000 lbs
Ethanol, 2-(2-butoxyethoxy)-	10000 lbs
Propane	10000 lbs
Butane	10000 lbs
Glycine, N,N'-1,2-ethanediylbis[N-	10000 lbs
(carboxymethyl)-, sodium salt	
(1:4)	
2-Propanol, 2-methyl-	10000 lbs
Quaternary ammonium	10000 lbs
compounds, C12-14-	
alkyl[(ethylphenyl)methyl]dimethyl,	
chlorides	
2,6-Octadienal, 3,7-dimethyl-	10000 lbs
Sodium hydroxide (Na(OH))	10000 lbs
Ethanol, 2-butoxy-	10000 lbs
Ammonium hydroxide	10000 lbs
((NH4)(OH))	
SARA 313 (TRI Reporting)	

## SARA 313 (TRI Reporting)

<u>Chemical Identity</u> <u>Reporting</u> <u>Reporting threshold for</u>

SDS\_US - 106424 17/19



threshold for other users N230 lbs manufacturing and processing
N230 lbs.

Ethanol, 2-(2-butoxyethoxy)-

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) US State Regulations

## **US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

## **US. New Jersey Worker and Community Right-to-Know Act**

#### **Chemical Identity**

Ethanol

Ethanol, 2-(2-butoxyethoxy)-

Propane

Butane

#### US. Massachusetts RTK - Substance List

#### **Chemical Identity**

Glycine, N,N-bis(carboxymethyl)-, sodium salt (1:3)

#### US. Pennsylvania RTK - Hazardous Substances

#### **Chemical Identity**

Ethanol

Ethanol, 2-(2-butoxyethoxy)-

Propane

Butane

#### US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

#### International regulations

#### Montreal protocol

Not applicable

## Stockholm convention

Not applicable

#### **Rotterdam convention**

Not applicable

## **Kyoto protocol**

Not applicable

SDS US - 106424 18/19



**Inventory Status:** 

Australia AICS: Not in compliance with the inventory.

Canada DSL Inventory List: Not in compliance with the inventory.

EINECS, ELINCS or NLP: Not in compliance with the inventory.

Japan (ENCS) List: Not in compliance with the inventory.

China Inv. Existing Chemical Substances: Not in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI): Not in compliance with the inventory.

Canada NDSL Inventory: Not in compliance with the inventory.

Philippines PICCS: Not in compliance with the inventory.

US TSCA Inventory: Not in compliance with the inventory.

New Zealand Inventory of Chemicals:

On or in compliance with the inventory

Japan ISHL Listing: Not in compliance with the inventory.

Japan Pharmacopoeia Listing: Not in compliance with the inventory.

Mexico INSQ: Not in compliance with the inventory.

Ontario Inventory: Not in compliance with the inventory.

Taiwan Chemical Substance Inventory: On or in compliance with the inventory

#### 16.Other information, including date of preparation or last revision

**Issue Date:** 06/01/2015

**Revision Information:** No data available.

Version #: 1.0

**Further Information:** FIFRA: This chemical is a pesticide product registered by the United States

Environmental Protection Agency and is subject to certain labeling

requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

**Disclaimer:** This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

SDS US - 106424 19/19